


# LTF

## LTF "ACTIVE" SERIES WEIGHING KIT FOR LIFT TRUCK FORKS



Pair of forks with an integrated weighing system, for lift trucks, easy to use, sturdy, and reliable. Simple and easy to install, these replace the original forks and allow a clear visualisation of the loaded weight. Compatible with any lift truck having a DIN 15173 - FEM fork holder plate, of the IIA (IIB optional) or IIIA class. Available in CE-M approved version.

Working in cooperation with:

**GOLDBELL WEIGH-SYSTEM PTE LTD**

23KAKI BUKIT ROAD 4, #01-14 - 417801 - SINGAPORE - SINGAPORE  
Tel. 6293 6888 Fax. 6293 2576  
sales@goldbellweigh.com

The best solution  
for advanced industrial  
applications

## MAIN FEATURES

- Weight indicator with waterproof keyboard, 5 keys, and protective case in extra thick steel, mounted on a fork and connected to the other fork by means of a cable.
- LCD backlit display with 6 digits 25mm high, easily visible in any lighting condition.
- Steel bearing IP65 structure.
- Each fork weighs 75kg (LTF25) and 90kg (LTF50).
- Functions with 4 shear-beam IP68 load cells.
- Accuracy: +/- 0.2% of the capacity.
- Max. allowable overload: 200% of the nominal capacity.
- Max. horizontal inclination (flexibility): +/- 2° with the same accuracy characteristics.
- Power supply through rechargeable battery, the operating time is of about 40 hours of continuous use.
- Additional battery pack (optional) to use the system 24/7.
- Fitted with battery charger, compatible with LTFBK option.
- Auto switch-off function.
- Fitted with infrared remote control.
- Optional radio module for transmitting data to a PC or a remote repeater.

## KEYBOARD FUNCTIONS




- Zeroing, semi automatic tare, presettable tare, function mode, stand-by
- NOTES: functions available also with infrared remote control.

## SELECTABLE FUNCTIONS

- High Resolution Weighing x 10
- Net/Gross or lb/kg conversion
- Weighs totalisation
- Formulation
- +/- Check
- Percentage weighing
- Alibi memory, for weight approved transmission (optional)
- Counting
- Hold and Peak

## VERSIONS

### Versioni disponibili

Codice	Piastra	Max (kg)	d (kg)	 (kg)
LTF1125A-1	FEM2A	500 / 1000 / 2500	1 / 2 / 5	--
LTF1125AM-1 	FEM2A	1000 / 2500	--	2 / 5
LTF1150A-1	FEM3A	1000 / 2500 / 5000	2 / 5 / 10	--
LTF1150AM-1 	FEM3A	2500 / 5000	--	5 / 10



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
Nogent-sur-Marne

DINI ARGEO  
GMBH  
Sinsheim - Germany

DINI ARGEO  
UK Ltd  
Taunton - United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
Shanghai - China

DINI ARGEO  
WEIGHBRIDGES  
Calto (RO) – Italy



HEAD OFFICE  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**GOLDBELL WEIGH-SYSTEM PTE LTD**

23KAKI BUKIT ROAD 4, #01-14 - 417801 - SINGAPORE - SINGAPORE

Tel. 6293 6888 Fax. 6293 2576

sales @goldbellweigh.com

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.